

# International Modern Laboratory

2050, Bâtiment Nazem, Avenue  
Lumumba coins Kimbangu,  
Lubumbashi, Haut-Katanga, RDC.  
+243 850 188 888 +243 815 366 666

2260, Bâtiment Palm Center  
(JOVENA), Avenue LDK, Manika,  
Kolwezi-Lualaba, RDC.  
+243 849 912 222 +243 977 915 555

ID Nat: 441/1402/DPE/KAT/2014  
No. Impôt: A1801584P  
GOODLUCK SARL  
www.imlabdrc.com



Nom : Mbutshu Dingao Mathilde  
Age : 42 an(s)  
Sexe : Female  
Consultant :

Sample No. : CN25/0062053  
Date : 24-Oct-2025  
Temps : 07:46 AM  
Nombre d' : 5

## Hématologie

| Examen                   | Résultat    | Unité | Valeurs de Référence |
|--------------------------|-------------|-------|----------------------|
| Goutte épaisse (Malaria) | Positif (+) |       | Négatif              |

Commentaire 0 - 1 Troph/ch.

### Numération et Formule Sanguine (NFS)

|               |      |                           |             |
|---------------|------|---------------------------|-------------|
| Leucocytes    | 4.24 | $\times 10^3/\mu\text{L}$ | 3.8 - 10.8  |
| Lymphocytes   | 2.49 | $\times 10^3/\mu\text{L}$ | 1.30 - 4.00 |
| Monocytes     | 0.31 | $\times 10^3/\mu\text{L}$ | 0.15 - 0.70 |
| Neutrophiles  | 1.27 | $\times 10^3/\mu\text{L}$ | 2.50 - 7.50 |
| Eosinophiles  | 0.13 | $\times 10^3/\mu\text{L}$ | 0.0 - 0.40  |
| Basophiles    | 0.04 | $\times 10^3/\mu\text{L}$ | 0.0 - 0.10  |
| Lymphocytes.  | 58.7 | %                         | 18.0 - 48.0 |
| Monocytes.    | 7.3  | %                         | 2.0 - 10.0  |
| Neutrophiles. | 30.0 | %                         | 48.0 - 73.0 |
| Eosinophiles. | 3.1  | %                         | 0.3 - 6.0   |
| Basophiles.   | 0.9  | %                         | 0.2 - 1.3   |
| Erythrocytes  | 4.69 | $\times 10^6/\mu\text{L}$ | 3.90 - 5.20 |
| Hémoglobine   | 11.6 | g/dL                      | 12.0 - 16.0 |
| Hématocrite   | 34.8 | %                         | 37.0 - 47.0 |
| V.G.M         | 74   | fL                        | 80 - 96     |
| T.C.M.H       | 24.7 | pg                        | 25.0 - 32.0 |
| C.C.M.H       | 33.3 | g/dL                      | 30.0 - 35.0 |
| IDR           | 15.6 | %                         | 11.5 - 15.5 |
| Plaquettes    | 428  | $\times 10^3/\mu\text{L}$ | 150 - 400   |
| V.P.M         | 10.2 | fL                        | 6.1 - 11.7  |
| PCT           | 0.44 | %                         | 0.1 - 0.5   |

