

# International Modern Laboratory

2050, Bâtiment Nazem, Avenue  
Lumumba coins Kimbangu,  
Lubumbashi, Haut-Katanga, RDC.  
+243 850 188 888 +243 815 366 666

2260, Bâtiment Palm Center  
(JOVENA), Avenue LDK, Manika,  
Kolwezi-Lualaba, RDC.  
+243 849 912 222 +243 977 915 555

ID Nat: 441/1402/DPE/KAT/2014  
No. Impôt: A1601584P  
GOODLUCK SARL  
www.imlabdrc.com



Nom : Laurent Lutumba Brayden  
Age : 8 mois  
Sexe : Male  
Consultant : Dr. Albert Luty

Sample No. : CN25/0062107  
Date : 24-Oct-2025  
Temps : 11:37 AM  
Nombre d' : 4

## Hématologie

| Examen                   | Résultat    | Unité | Valeurs de Référence |
|--------------------------|-------------|-------|----------------------|
| Goutte épaisse (Malaria) | Positif (+) |       | Négatif              |

Commentaire 0 - 1 Troph/ch.

### Numération et Formule Sanguine (NFS)

|               |      |                           |             |
|---------------|------|---------------------------|-------------|
| Leucocytes    | 8.34 | $\times 10^3/\mu\text{L}$ | 6.0 - 17.5  |
| Lymphocytes   | 6.01 | $\times 10^3/\mu\text{L}$ | 2.0 - 12.5  |
| Monocytes     | 0.49 | $\times 10^3/\mu\text{L}$ | 0.30 - 0.90 |
| Neutrophiles  | 1.48 | $\times 10^3/\mu\text{L}$ | 1.20 - 7.20 |
| Eosinophiles  | 0.33 | $\times 10^3/\mu\text{L}$ | 0.0 - 0.40  |
| Basophiles    | 0.03 | $\times 10^3/\mu\text{L}$ | 0.0 - 0.10  |
| Lymphocytes.  | 72.1 | %                         | 35.0 - 65.0 |
| Monocytes.    | 5.9  | %                         | 2.0 - 10.0  |
| Neutrophiles. | 17.6 | %                         | 15.0 - 45.0 |
| Eosinophiles. | 4.0  | %                         | 0.3 - 6.0   |
| Basophiles.   | 0.4  | %                         | 0.2 - 1.3   |
| Erythrocytes  | 6.16 | $\times 10^6/\mu\text{L}$ | 4.00 - 5.20 |
| Hémoglobine   | 11.0 | g/dL                      | 10.0 - 13.5 |
| Hématocrite   | 35.8 | %                         | 31.0 - 42.0 |
| V.G.M         | 58   | fL                        | 70 - 90     |
| T.C.M.H       | 17.9 | pg                        | 25.0 - 32.0 |
| C.C.M.H       | 30.7 | g/dL                      | 30.0 - 36.0 |
| IDR           | 21.6 | %                         | 11.5 - 15.5 |
| Plaquettes    | 464  | $\times 10^3/\mu\text{L}$ | 150 - 450   |
| V.P.M         | 9.2  | fL                        | 6.1 - 11.7  |
| PCT           | 0.43 | %                         | 0.1 - 0.5   |

