

International Modern Laboratory

2050, Bâtiment Nazem, Avenue
Lumumba coins Kimbangu,
Lubumbashi, Haut-Katanga, RDC.
+243 850 188 888 +243 815 356 666

2260, Bâtiment Palm Center
(JOVENA), Avenue LDK, Manika,
Kolwezi-Lualaba, RDC.
+243 849 912 222 +243 977 915 555

ID Nat: 441/1402/DPE/KAT/2014
No. Impot: A1501584P
GOODLUCK SARL
www.imlabdrc.com



Nom : Nsey Katung Narcia

Age : 5 an(s)

Sexe : Female

Consultant : Dr. Tshibangu

Sample No. : CN25/0064621

Date : 09-Dec-2025

Temps : 11:38 AM

Nombre d' examens : 5

Biochimie

<u>Examen</u>	<u>Résultat</u>	<u>Unité</u>	<u>Valeurs de Référence</u>
Potassium	3.75	mmol/L	3.50 - 5.30
Sodium	137.0	mmol/L	135.0 - 146.0
Calcium Total	9.5	mg/dL	8.8 - 10.8
Protéine C-réactive (CRP)	<u>54.74</u>	mg/L	<2.80



International Modern Laboratory

2050, Bâtiment Nazem, Avenue
Lumumba coins Kimbangu,
Lubumbashi, Haut-Katanga, RDC.
+243 850 188 888 +243 815 356 666

2260, Bâtiment Palm Center
(JOVENA), Avenue LDK, Manika,
Kolwezi-Lualaba, RDC.
+243 849 912 222 +243 977 915 555

ID Nat: 445/1402/DPE/KAT/2014
No. Impot: A1501584P
GOODLUCK SARL
www.imlabdrc.com



Nom : Nsey Katung Narcia

Age : 5 an(s)

Sexe : Female

Consultant : Dr. Tshibangu

Sample No. : CN25/0064621

Date : 09-Dec-2025

Temps : 11:38 AM

Nombre d' examens : 5

Hématologie

<u>Examen</u>	<u>Résultat</u>	<u>Unité</u>	<u>Valeurs de Référence</u>
Numération et Formule Sanguine (NFS)			
Leucocytes	12.9	x10 ³ /μL	5.0 - 13.5
Lymphocytes	3.6	x10 ³ /μL	1.50 - 7.00
Monocytes	0.7	x10 ³ /μL	0.15 - 0.70
Neutrophiles	8.2	x10 ³ /μL	2.50 - 7.50
Eosinophiles	0.3	x10 ³ /μL	0.0 - 0.40
Basophiles	0.1	x10 ³ /μL	0.0 - 0.10
Lymphocytes.	28.3	%	18.0 - 48.0
Monocytes.	5.4	%	2.0 - 10.0
Neutrophiles.	63.7	%	48.0 - 73.0
Eosinophiles.	2.0	%	0.3 - 6.0
Basophiles.	0.6	%	0.2 - 1.3
Erythrocytes	4.35	x10 ⁶ /μL	4.00 - 5.20
Hémoglobine	10.3	g/dL	10.9 - 14.9
Hématocrite	30.0	%	31.0 - 42.0
V.G.M	68	fL	80 - 96
T.C.M.H	23.7	pg	25.0 - 32.0
C.C.M.H	34.8	g/dL	30.0 - 35.0
IDR	18.2	%	11.5 - 15.5
Plaquettes	867	x10 ³ /μL	150 - 450
V.P.M	6.4	fL	6.1 - 11.7
PCT	0.55	%	0.1 - 0.5

