

International Modern Laboratory

2050, Bâtiment Nazem, Avenue
Lumumba coins Kimbangu,
Lubumbashi, Haut-Katanga, RDC.
+243 850 188 888 +243 815 356 666

2260, Bâtiment Palm Center
(JOVENA), Avenue LDK, Manika,
Kolwezi-Lualaba, RDC.
+243 849 912 222 +243 977 915 555

ID Nat: 441/1402/DPE/KAT/2014
No. Impot: A1501584P
GOODLUCK SARL
www.imlabdrc.com



Nom : Kamabu Kikopela Jean Pierre

Age : 22 an(s)

Sexe : Male

Consultant : [Dr. Albert Luty](#)

Sample No. : CN25/0064904

Date : 15-Dec-2025

Temps : 09:13 AM

Nombre d' examens : 2

Sérologie et Immunologie

<u>Examen</u>	<u>Résultat</u>	<u>Unité</u>	<u>Valeurs de Référence</u>
Immunoglobulines E Totale	4.40	kUI/L	Pas d'allergie: <25 Allergie possible: 25 - 100 Allergie positive: >100



International Modern Laboratory

2050, Bâtiment Nazem, Avenue
Lumumba coins Kimbangu,
Lubumbashi, Haut-Katanga, RDC.
+243 850 188 888 +243 815 356 666

2260, Bâtiment Palm Center
(JOVENA), Avenue LDK, Manika,
Kolwezi-Lualaba, RDC.
+243 849 912 222 +243 977 915 555

ID Nat: 445/1402/DPE/KAT/2014
No. Impot: A1501584P
GOODLUCK SARL
www.imlabdrc.com



Nom : Kamabu Kikopela Jean Pierre

Age : 22 an(s)

Sexe : Male

Consultant : [Dr. Albert Luty](#)

Sample No. : CN25/0064904

Date : 15-Dec-2025

Temps : 09:13 AM

Nombre d' examens : 2

Hématologie

<u>Examen</u>	<u>Résultat</u>	<u>Unité</u>	<u>Valeurs de Référence</u>
Numération et Formule Sanguine (NFS)			
Leucocytes	4.68	x10 ³ /μL	3.8 - 10.8
Lymphocytes	1.87	x10 ³ /μL	1.30 - 4.00
Monocytes	0.47	x10 ³ /μL	0.15 - 0.70
Neutrophiles	<u>2.29</u>	x10 ³ /μL	2.50 - 7.50
Eosinophiles	0.02	x10 ³ /μL	0.0 - 0.40
Basophiles	0.03	x10 ³ /μL	0.0 - 0.10
Lymphocytes.	<u>49.0</u>	%	18.0 - 48.0
Monocytes.	10.0	%	2.0 - 10.0
Neutrophiles.	49.0	%	48.0 - 73.0
Eosinophiles.	0.4	%	0.3 - 6.0
Basophiles.	0.6	%	0.2 - 1.3
Erythrocytes	5.30	x10 ⁶ /μL	4.20 - 5.60
Hémoglobine	16.0	g/dL	14.0 - 18.0
Hématocrite	47.5	%	40.0 - 53.0
V.G.M	90	fL	80 - 96
T.C.M.H	30.2	pg	25.0 - 32.0
C.C.M.H	33.7	g/dL	30.0 - 35.0
IDR	13.1	%	11.5 - 15.5
Plaquettes	238	x10 ³ /μL	150 - 400
V.P.M	10.6	fL	6.1 - 11.7
PCT	0.25	%	0.1 - 0.5

