

International Modern Laboratory

2050, Bâtiment Nazem, Avenue
Lumumba coins Kimbangu,
Lubumbashi, Haut-Katanga, RDC.
+243 850 188 888 +243 815 356 666

2260, Bâtiment Palm Center
(JOVENA), Avenue LDK, Manika,
Kolwezi-Lualaba, RDC.
+243 849 912 222 +243 977 915 555

ID Nat: 441/1402/DPE/KAT/2014
No. Impot: A1501584P
GOODLUCK SARL
www.imlabdrc.com



Nom : Mangulu Motingea Antoinnette

Age : 64 an(s)

Sexe : Female

Consultant :

Sample No. : CN25/0065033

Date : 17-Dec-2025

Temps : 08:39 AM

Nombre d' examens : 2

Sérologie et Immunologie

<u>Examen</u>	<u>Résultat</u>	<u>Unité</u>	<u>Valeurs de Référence</u>
Immunoglobulines G	<u>1746.0</u>	mg/dL	650 - 1600



International Modern Laboratory

2050, Bâtiment Nazem, Avenue
Lumumba coins Kimbangu,
Lubumbashi, Haut-Katanga, RDC.
+243 850 188 888 +243 815 356 666

2260, Bâtiment Palm Center
(JOVENA), Avenue LDK, Manika,
Kolwezi-Lualaba, RDC.
+243 849 912 222 +243 977 915 555

ID Nat: 445/1402/DPE/KAT/2014
No. Impot: A1501584P
GOODLUCK SARL
www.imlabdrc.com



Nom : Mangulu Motingea Antoinnette

Sample No. : CN25/0065033

Age : 64 an(s)

Date : 17-Dec-2025

Sexe : Female

Temps : 08:39 AM

Consultant :

Nombre d' examens : 2

Hématologie

Examen	Résultat	Unité	Valeurs de Référence
Numération et Formule Sanguine (NFS)			
Leucocytes	<u>2.73</u>	x10 ³ /μL	3.8 - 10.8
Lymphocytes	<u>1.33</u>	x10 ³ /μL	1.30 - 4.00
Monocytes	<u>0.22</u>	x10 ³ /μL	0.15 - 0.70
Neutrophiles	<u>1.12</u>	x10 ³ /μL	2.50 - 7.50
Eosinophiles	<u>0.05</u>	x10 ³ /μL	0.0 - 0.40
Basophiles	<u>0.01</u>	x10 ³ /μL	0.0 - 0.10
Lymphocytes.	<u>48.7</u>	%	18.0 - 48.0
Monocytes.	<u>8.1</u>	%	2.0 - 10.0
Neutrophiles.	<u>41.0</u>	%	48.0 - 73.0
Eosinophiles.	<u>1.8</u>	%	0.3 - 6.0
Basophiles.	<u>0.4</u>	%	0.2 - 1.3
Erythrocytes	<u>4.16</u>	x10 ⁶ /μL	3.90 - 5.20
Hémoglobine	<u>12.8</u>	g/dL	12.0 - 16.0
Hématocrite	<u>38.4</u>	%	37.0 - 47.0
V.G.M	<u>92</u>	fL	80 - 96
T.C.M.H	<u>30.8</u>	pg	25.0 - 32.0
C.C.M.H	<u>33.3</u>	g/dL	30.0 - 35.0
IDR	<u>12.2</u>	%	11.5 - 15.5
Plaquettes	<u>171</u>	x10 ³ /μL	150 - 400
V.P.M	<u>10.0</u>	fL	6.1 - 11.7
PCT	<u>0.17</u>	%	0.1 - 0.5



ID Net: 441/1402/DPE/KAT/2014
No. Impot: A1501584P
GOODLUCK SARL
www.imlabdrc.com

Patient Name	:		Sample No.	:	
Age	:		Patient No.	:	
Sex	:		Sample Date	:	
Consultant	:		Sample Time	:	
Number Of Tests	:				