

International Modern Laboratory

2050, Bâtiment Nazem, Avenue
Lumumba coins Kimbangu,
Lubumbashi, Haut-Katanga, RDC.
+243 850 188 888 +243 815 356 666

2260, Bâtiment Palm Center
(JOVENA), Avenue LDK, Manika,
Kolwezi-Lualaba, RDC.
+243 849 912 222 +243 977 915 555

ID Nat: 441/1402/DPE/KAT/2014
No. Impot: A1501584P
GOODLUCK SARL
www.imlabdrc.com



Nom : Ngalula Kanty Awen

Age : 5 an(s)

Sexe : Female

Consultant : [K.M.C](#)

Sample No. : CN26/0066875

Date : 21-Jan-2026

Temps : 01:46 PM

Nombre d' examens : 1

Electrophorèse

<u>Examen</u>	<u>Résultat</u>	<u>Unité</u>	<u>Valeurs de Référence</u>
Électrophorèse de l'hémoglobine - Variante de l'hémoglobine			
Hémoglobine A1	<u>0.0</u>	%	94.3 - 98.5
Hémoglobine A2	<u>3.7</u>	%	1.5 - 3.7
Hémoglobine F	<u>11.5</u>	%	0.0 - 2.0
Hémoglobine S	<u>84.8</u>	%	0.0 - 0.0
Hémoglobine D	<u>0.0</u>	%	0.0 - 0.0
Hémoglobine C	<u>0.0</u>	%	0.0 - 0.0
Hémoglobine E	<u>0.0</u>	%	0.0 - 0.0
Autres sommets	<u>0.0</u>	%	0.0 - 0.0

Commentaire Homozygote de drépanocytose. (HB SS + HBF)

