

International Modern Laboratory

2050, Bâtiment Nazem, Avenue
Lumumba coins Kimbangu,
Lubumbashi, Haut-Katanga, RDC.
+243 850 188 888 +243 815 356 666

2260, Bâtiment Palm Center
(JOVENA), Avenue LDK, Manika,
Kolwezi-Lualaba, RDC.
+243 849 912 222 +243 977 915 555

ID Nat: 441/1402/DPE/KAT/2014
No. Impot: A1501584P
GOODLUCK SARL
www.imlabdrc.com



Nom : Lumbu Mukalamusi Christian

Age : 40 an(s)

Sexe : Male

Consultant : [Dr. Albert Luty](#)

Sample No. : CN26/0067115

Date : 26-Jan-2026

Temps : 11:11 AM

Nombre d' examens : 2

Sérologie et Immunologie

<u>Examen</u>	<u>Résultat</u>	<u>Unité</u>	<u>Valeurs de Référence</u>
Immunoglobulines E Totale	228.69	kUI/L	Pas d'allergie: <25 Allergie possible: 25 - 100 Allergie positive: >100



International Modern Laboratory

2050, Bâtiment Nazem, Avenue
Lumumba coins Kimbangu,
Lubumbashi, Haut-Katanga, RDC.
+243 850 188 888 +243 815 356 666

2260, Bâtiment Palm Center
(JOVENA), Avenue LDK, Manika,
Kolwezi-Lualaba, RDC.
+243 849 912 222 +243 977 915 555

ID Nat: 445/1402/DPE/KAT/2014
No. Impot: A1501584P
GOODLUCK SARL
www.imlabdrc.com



Nom : Lumbu Mukalamusi Christian

Sample No. : CN26/0067115

Age : 40 an(s)

Date : 26-Jan-2026

Sexe : Male

Temps : 11:11 AM

Consultant : [Dr. Albert Luty](#)

Nombre d' examens : 2

Hématologie

<u>Examen</u>	<u>Résultat</u>	<u>Unité</u>	<u>Valeurs de Référence</u>
Numération et Formule Sanguine (NFS)			
Leucocytes	6.72	x10 ³ /μL	3.8 - 10.8
Lymphocytes	2.35	x10 ³ /μL	1.30 - 4.00
Monocytes	0.38	x10 ³ /μL	0.15 - 0.70
Neutrophiles	3.67	x10 ³ /μL	2.50 - 7.50
Eosinophiles	0.30	x10 ³ /μL	0.0 - 0.40
Basophiles	0.02	x10 ³ /μL	0.0 - 0.10
Lymphocytes.	35.0	%	18.0 - 48.0
Monocytes.	5.7	%	2.0 - 10.0
Neutrophiles.	54.5	%	48.0 - 73.0
Eosinophiles.	4.5	%	0.3 - 6.0
Basophiles.	0.3	%	0.2 - 1.3
Erythrocytes	4.70	x10 ⁶ /μL	4.20 - 5.60
Hémoglobine	13.5	g/dL	14.0 - 18.0
Hématocrite	40.9	%	40.0 - 53.0
V.G.M	87	fL	80 - 96
T.C.M.H	28.7	pg	25.0 - 32.0
C.C.M.H	33.0	g/dL	30.0 - 35.0
IDR	13.0	%	11.5 - 15.5
Plaquettes	261	x10 ³ /μL	150 - 400
V.P.M	10.1	fL	6.1 - 11.7
PCT	0.26	%	0.1 - 0.5

